

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1228	(mode\$1 near2 select\$4 or mode near3 switch\$6 or first adj2 mode near4 second adj2 mode\$1 or mode near3 compar\$6 or train\$5 near2 mode\$1) with (DFE or decision adj2 feedback adj2 equaliz\$9 or equalization\$1 or equalizer\$1) same (FEC or error adj2 correct\$4 or error adj2 rate\$1 or BIT\$1 or BYER\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:15	
2	BRS	L2	513	1 and "375"/\$.ccls.	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:31	
3	BRS	L3	12	2 and (soft adj2 mode\$1 or standard adj2 mode\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:12	
4	BRS	L4	71	2 and (soft adj2 mode\$1 or standard adj2 mode\$1 or blind adj2 mode\$1 or train\$4 adj2 mode\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:13	

	Error Definition	Err ors
1		
2		
3		
4		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	100	(mode\$1 near2 select\$4 or mode near3 switch\$6 or first adj2 mode near4 second adj2 mode\$1 or mode near3 compar\$6 or train\$5 near2 mode\$1) with (DFE or decision adj2 feedback adj2 equaliz\$9 or equalization\$1 or equalizer\$1) same (FEC or error adj2 correct\$4 or error adj2 rate\$1 or BIT\$1 or BYER\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:25	
6	BRS	L6	40	(mode\$1 near2 select\$4 or mode near3 switch\$6 or first adj2 mode near4 second adj2 mode\$1 or mode near3 compar\$6 or train\$5 near2 mode\$1) with (DFE or decision adj2 feedback adj2 equaliz\$9 or equalization\$1 or equalizer\$1 or FE) same (FEC or error adj2 correct\$4 or error adj2 rate\$1 or BER\$1 or BYER\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:28	
7	BRS	L7	710	(mode\$1 near2 select\$4 or mode near3 switch\$6 or first adj2 mode near4 second adj2 mode\$1 or mode near3 compar\$6 or train\$5 near2 mode\$1) with (DFE or decision adj2 feedback adj2 equaliz\$9 or equalization\$1 or equalizer\$1 or FE)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:28	

	Error Definition	Err ors
5		
6		
7		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	328	7 and "375"/\$.ccls.	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:40	
9	BRS	L9	8	(compar\$3 near3 error near2 rate\$1 or compar\$6 near3 FEC or compar\$4 near3 error near3 correct\$4 or compar\$3 near3 ber\$1 or compar\$5 near3 byer\$1) and 8	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:33	
10	BRS	L10	215	(equaliz\$6 near3 switch\$6 near3 mode\$1 or DFE near3 switch\$6 near3 mode\$1 or equaliz\$9 near3 select\$4 near3 mode\$1 or DFE near3 select\$4 near3 mode\$1 or FFE near3 select\$6 near3 mode\$1 or FFE near3 switch\$6 near3 mode\$1)	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:40	
11	BRS	L11	75	10 and "375"/\$.ccls.	US- PGPUB ; USPAT ; EPO; JPO	2006/05/1 5 17:40	

	Error Definition	Err ors
8		
9		
10		
11		